



# STRINGALONG™

A product of Cappuccio Enterprises

U.S. Patent 6,421,926

Making adjustments is easy. Simply loosen the Thumb Screw and move the collar up or down the Steel Grade Stake - with or without the string attached.

**No more wasted time struggling with knots!**



**STRINGALONG** can handle many string lines at a time.

A. Gripping Teeth hold string lines securely.

B. The Lock Notch for beginning and end of string line runs to insure no slippage of string.

STRINGALONG



One handed adjustment of **STRINGALONG**

**Set once with a laser or transit and you are done!**

Shipping Weight:  
Bag (12 units) - 2 lb (1 kg)  
Case (24 bags) - 48 lb (22 kg)  
Master Pack (4 cases) - 95 lb (43 kg)

**PAVE TECH, INC.**

PO Box 576 Prior Lake, Minnesota 55372 USA

800-728-3832 Phone 952-226-6400 Fax 952-226-6406 sales@paveedge.com

[WWW.PAVETECH.COM](http://WWW.PAVETECH.COM)



### STRINGALONG Steel Grade Stakes



Great for stringline and setting grade! Comes predrilled for use with wood forms. Steel Stakes 3/4" x 24" with 16 D nail holes. Shipping Weight: 33 lb (15 kg)

### STRINGALONG Steel Stake Puller



Quantity 10 in box

Steel Stake Puller works on all lengths of round and flat steel stakes and fence posts. The Stake Puller's Shipping Weight: 15 lb (7 kg)

## LASERSQUARE™ PRO

LAYOUT TOOLS



### 90° Vertical Dual Laser with Hard Case



Rugged, molded, padded, plastic case includes: 2 laser targets, 1 set laser-enhancing glasses, 1 cast aluminum LASERSQUARE PRO, 1 set C batteries. Place for extra set of C batteries.



Shipping Weight: 3 lb (1.5 kg)

When shooting longer lines for bond straightening, use supplied targets.



Initial layout, reference checking or setting.



Laser lines give the opportunity to snap permanent chalkline.

# LASERLEVEL™

Transit, Tripod, Rod, and Target for Jobsite Layout



Quick setup...Simple to use...Speeds elevation checking

All on one Hard Case design...Nothing left behind



All components nest perfectly into hard case. There is even a spot for an extra D battery.

Grooved Rod allows for easily adjusted friction fit Target. Target uses 9 Volt battery. Shoot Laser from both front and back of target. Visual and audible indicators.



Operates on 1D battery.  
Simple operation: Self leveling Laser is permanently attached to tripod. Laser head adjustment is easy with spring tensioner.

1. Set tripod feet into soil.
2. Adjust laser head, so that bubble level is near center.
3. Push "on" button.
4. Unit will self-level and show green light. You are good to go.



Aluminum 3 ft Rod sections snap and lock together.

Shipping Weight: 22 lb (10 kg)



# PAVERSQUARE™ PRO

48" x 68" Folding Layout Square (90° x 45°)

US Patent RE 38,032



Made in USA

Rugged, Lightweight, Patented Design  
Folds for Storage and Transport

World's Best Paver Retaining Wall  
and Masonry Layout Square



Perfect 45° and 90° Angles



Also available in  
quantity 6 Packs

Shipping Weight: 6 lb (3 kg) each

Distributed by:

LAYOUT 303

PAVE TECH, INC. © 2003



[WWW.PAVETECH.COM](http://WWW.PAVETECH.COM)

LAYOUT TOOLS